

1. IDENTIFICATION OF THE SUBSTANCE PREPARATION AND COMPANY UNDERTAKING

1.1 **PRODUCT IDENTIFIER**

Product name: Extended Yield Toner Cartridge for Ricoh 406465/406989 Part number: RIC406465U

1.2 **IDENTIFIED USES AND USES ADVISED AGAINST**

For use in: Laser Printers

1.3 SUPPLIER DETAILS

Supplier:	Clover Imaging Group
	4200 Columbus Street
	Ottawa, IL 61350
	United States
	Phone number: 815-431-8100
	Fax: 815-461-8583
Contact Hours:	08:00AM-05:00PM CST

1.4 **EMERGENCY TELEPHONE NUMBERS**

Supplier: 815-431-8100

* This document provides safety-related information about ink/toner, in various forms, for use in copiers/printers etc.

2. HAZARDS IDENTIFICATION

2.1 INFORMATION and CLASSIFICATION

Overview:

GHS classification of the mixture: Not classified as hazardous. Other hazards which do not result in classification: Physical hazards - This mixture, like most organic powders, can cause a dust explosion if particles form thick clouds; Carcinogenicity - This mixture contains Carbon Black and Titanium Dioxide that are listed by IARC as Group 2B (possibly carcinogenic to humans); however, no significant exposure to either Carbon Black or Titanium Dioxide is thought to occur during the use of the product because they are mostly in a bound form in this mixture. Other information: This mixture is not classified as hazardous according to OSHA Hazard Communication Standard 29 CFR 1910.1200; This mixture is subject to EPCRA 313 (Chromium Compound N090); This mixture complies with the requirements of the RoHS Directive 2011/65/EU and its amendment directives.

2.2 LABEL ELEMENTS

Applicable Pictograms:	NO PICTOGRAM
Danger Indications:	Warning - Combustible Dust - May form combustible dust concentrations in air.
Risk Phrases:	N/A
Safety Phrases:	N/A

2.3 OTHER HAZARDS

PBT or vPvB: N/A



3. COMPOSITION / INFORMATION ON INGREDIENTS

Ingredients	CAS number	Weight %	OSHA	ACGIH	Other
			PEL	TLV	
Polyester Resin	TRADE SECRET	80-95			TSCA listed/exempted: Yes
Carbon Black	1333-86-4	3-15	3.5 mg/m3	3.5 mg/m3	TSCA listed/exempted: Yes
Amorphous Silica	7631-86-9	<5	20 mppcf*	Not	TSCA listed/exempted: Yes
			or 80/%	established	
			SiO2 mg/m3		
			(* million		
			particles		
			per cubic		
			foot)		
Titanium Dioxide	13463-67-7	<1	Total dust	10 mg/m3	TSCA listed/exempted: Yes
			15 mg/m3		
Organochromium Complex	TRADE SECRET	0.5-2.0	0.5 mg/m3	0.5 mg/m3	TSCA listed/exempted: Yes.
			as	as	Classification: Hazardous to the
			chromium	chromium	aquatic environment; Category
			(111)	(111)	Acute 1, Chronic 1; Acute toxicity -
					Oral Category 4. Ingredients
					hazardous within the meaning of
					GHS and present above the cut-off
					level. Although this mixture
					contains this classified substance,
					the mixture is not classified based
					on the test results shown in Section
					12 in accordance with OSHA
					Hazard Communication Standard
					29 CFR 1910.1200 or the GHS
					criteria.
			TWA: 15	TWA: 10	Mixture as particulate not
			mg/m3	mg/m3	otherwise classified. Refer to
			(Total dust),		Section 8 for information on
			.	particulate),	•
			(Respirable	3 mg/m3	toxicological information.
			fraction)	(Respirable	
				particulate)	

The Full Text for all R-Phrases are Displayed in Section 16 COMPOSITION COMMENTS

The Data Shown is in accordance with the latest Directives.

This section provides composition information for the specified substance/mixture.



4. FIRST-AID MEASURES

4.1 FIRST AID MEASURES

4.1.1 FIRST AID INSTRUCTIONS BY RELEVANT ROUTES OF EXPOSURE

Inhalation:	Provide fresh air immediately. If symptoms occur, seek medical advice.
Eye contact:	Do not rub eyes. Immediately rinse with plenty of clean running water until particles are washed out. If irritation persists, seek medical advice.
Skin contact:	Wash out particles with plenty of water and soap. If irritation develops, seek medical advice.
Ingestion:	Clean mouth out with water. Drink several glasses of water. If sickness develops, seek medical advice.

4.1.2 ADDITIONAL FIRST AID INFORMATION

Additional first aid information:	N/A
Immediate Medical Attention Required:	Immediate medical attention may be required in the unlikely event of extreme inhalation, eye contact or unusual reaction due to physical idiosyncrasy of the person.

4.2 SYMPTOMS AND EFFECTS

Acute Symptoms from Exposure:	Eye contact: Irritation may occur by mechanical abrasion. Skin contact: Minimal skin irritation may occur. Inhalation: Slight irritation of respiratory tract may occur with exposure to large amount of toner dust. Ingestion: Ingestion is an unlikely route of entry under normal conditions of use.
Delayed Symptoms from Exposure:	N/A

4.3 IMMEDIATE SPECIAL TREATMENT OR EQUIPMENT REQUIRED

N/A

5. FIRE-FIGHTING MEASURES

5.1 EXTINGUISHING MEDIA

Recommended Extinguishing Media:	Water, foam, dry chemical.
Extinguishing Media Not to be Used:	None known.

5.2 SPECIAL HAZARD

Unusual Fire/Explosion Hazards: Toner, like most organic powders, is capable of creating a dust explosion when particles form thick clouds. Carbon monoxide and carbon dioxide are hazardous resulting gases. N/A

5.3 ADVICE FOR FIRE FIGHTERS

Avoid inhalation of smoke. Wear protective clothing and wear self-contained breathing apparatus



6. ACCIDENTAL RELEASE MEASURES

6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

6.1.1 **PRECAUTIONS FOR NON-EMERGENCY PERSONNEL**

Avoid dust formation. Do not breathe dust.

6.1.2 ADDITIONAL FIRST AID INFORMATION

N/A

6.1.3 **PERSONAL PROTECTION**

Wear personal protective equipment as described in Section 8.

6.2 ENVIRONMENTAL PRECAUTIONS

Regulatory Information: Keep product out of sewers and watercourses.

6.3 METHODS AND MATERIAL FOR CONTAINMENT AND CLEANUP

Spill or Leak Cleanup Procedures: Eliminate sources of ignition and flammables. Shelter the released material (powder) from wind to avoid dust formation and scattering. Vacuum or sweep the material into a sealed container. If a vacuum cleaner is used, it must be dust explosion-proof. Dispose of the material in accordance with Federal/state/local requirements.

7. HANDLING AND STORAGE

7.1 PRECAUTIONS FOR SAFE HANDLING

Recommendations for Handling:No special precautions when used as intended. Keep containers closed. If toner, avoid
creating dust. Keep away from ignition sources.Advice on General Hygiene:Never eat, drink or smoke in work areas. Practice good personal hygiene after using this
material, especially before eating, drinking, smoking, using the restroom, or applying
cosmetics.

7.2 CONDITIONS FOR SAFE STORAGE

Avoid high temperatures, >100°F/32°C

7.3 SPECIFIC END USES

Printing devices



8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 CONTROL PARAMETERS

The best protection is to enclose operations and/or provide local exhaust ventilation at the site of chemical release in order to maintain airborne concentrations of the product below OSHA PELs (See Section 3). Local exhaust ventilation is preferred because it prevents contaminant dispersion into the work area by controlling it at its source.

8.2 EXPOSURE CONTROLS

Respiratory protection:

IMPROPER USE OF RESPIRATORS IS DANGEROUS. Seek professional advice prior to respirator selection and use. Follow OSHA respirator regulations (29 CFR 1910.134 and 1910.137) and, if necessary, wear a NIOSH approved respirator. Select respirator based on its suitability to provide adequate worker protection for given work conditions, levels of airborne contamination, and sufficient levels of oxygen.

Eye/Face Protection:

Contact lenses are not eye protective devices. Appropriate eye protection must be worn instead of, or in conjunction with contact lenses.

Hand/Skin Protection:

For emergency or non-routine operations (cleaning spills, reactor vessels, or storage tanks), wear an SCBA. WARNING! Air purifying respirators do not protect worker in oxygen deficient atmospheres.

Additional Protection:

N/A

Protective Clothing and Equipment:

Wear chemically protective gloves, boots, aprons, and gauntlets to prevent prolonged or repeated skin contact. Wear splashproof chemical goggles and face shield when working with liquid, unless full face piece respiratory protection is worn.

Safety Stations:

Make emergency eyewash stations, safety/quick-drench showers, and washing facilities available in work area.

Contaminated Equipment:

Separate contaminated work clothes from street clothes. Launder before reuse. Remove material from your shoes and clean personal protective equipment. Never take home contaminated clothing.

Comments:

Never eat, drink or smoke in work areas. Practice good personal hygiene after using this material, especially before eating, drinking, smoking, using the restroom, or applying cosmetics.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 **DETAIL INFORMATION**

Physical state:	APPEARANCE: Fine black powder.
Color:	Black
Odor:	None or slight plastic odor
Odor threshold:	N/A
Boiling point:	N/A
Melting point:	N/A
Flash point:	N/A
Explosion limits:	N/A
Relative density:	1.0-1.5
Auto-ignition temperature:	N/A

9.2 OTHER INFORMATION

SOLUBILITY: Negligible in water. Partially soluble in some organic solvents such as Toluene and Tetrahydrofuran.

10. CHEMICAL STABILITY AND REACTIVITY

10.1 Reactivity:

	Reactivity Hazards: Data on Mixture Substances:	None None
10.2	Chemical Stability:	The product is stable. Under normal conditions of storage and use, hazardous polymerization will not occur.
10.3	Hazardous Polymerization:	Stable under conditions of normal use.
10.4	Conditions to Avoid:	Keep away from heat, flame, sparks and other ignition sources.
10.5	Incompatible Materials:	Strong oxidizing materials
10.6	Hazardous Decomposition:	Will not occur.



11. INFORMATION ON TOXICOLOGICAL EFFECT

Acute Toxicity:Suppliers about the substance expected when this mixture Federal/state/local requirem first aid measures.Acute Toxicity:N/ASkin Corrosion/Irritation:N/ASerious Eye Damage:N/AInhalation:N/ASensitization:Respiratory: No test data av respiratory sensitizer.Mutagenicity:Ames test (Salmonella typhi No test data available. Carbi humans), but IARC monograph to occur during the use of pr rubber, printing ink or paint. listed by IARC as Group 2B (Titanium Dioxide in this mixi no significant exposure to Ti No test data available. NoneReproductive Toxicity:No test data available. None Mixture Toxicity:STOT - Single Exposure:N/ASTOT - Multiple Exposure:N/ASTOT - Multiple Exposure:N/AIngestion:N/AMixture on Market Data: Symptoms:N/ADelayed/Immediate Effects:N/AReference 1) "Negative Effect a-Hydroxydeoxyguanosine in Toxicology, Vol. 17 (13) p.7/ACreutzenberg et al. "Lung cl chronic inhalation exposure in Syriati inhalation exposure in Syriati inh	
Acute Toxicity: Skin Corrosion/Irritation:Federal/state/local requirem first aid measures.Acute Toxicity: Skin Corrosion/Irritation:N/ASensitization:N/ASensitization:Respiratory: No test data av respiratory sensitizer.Mutagenicity: Carcinogenicity:Ames test (Salmonella typhi No test data available. Carbo humans), but IARC monograp to occur during the use of pr rubber, printing ink or paint. listed by IARC as Group 2B (Titanium Dioxide by Muhle e Moreover, IARC monograph to didustries, with the possible Titanium Dioxide by Muhle e Moreover, IARC monograph industries, with the possible Titanium Dioxide by Muhle e Moreover, IARC monograph industries, with the possible Titanium Dioxide by Muhle e Moreover, IARC monograph industries, with the possible Titanium Dioxide by Muhle e Moreover, IARC monograph industries, with the possible Titanium Dioxide by Muhle e Moreover, IARC monograph industries, with the possible Titanium Dioxide by Muhle e Moreover, IARC monograph industries, with the possible Titanium Dioxide by Muhle e Moreover, IARC monograph industries, with the possible Titanium Dioxide by Muhle e Moreover, IARC monograph industries, with the possible Titanium Dioxide by Muhle e Moreover, IARC monograph industries, with the possible Titanium Dioxide by Muhle e Moreover, IARC monograph industries, with the possible Titanium Dioxide by Muhle e Moreover, IARC monograph industries, with the possible Titanium Dioxide by Muhle e (Reference 1) No test data available. Inhal carcinogenicity. (Reference 1) "Negative Effect 8-Hydroxydeoxyguanosine in Toxicology, Vol. 17 (13) p.74 Creutzenberg et al. "Lung ci chronic inhalation exposure and retention of toner, TiO2 inha	of this or similar mixture, and the information provided by the ces contained in this mixture, seriously damaging effect is not is treated in accordance with standard industrial practices and
Acute Toxicity: Skin Corrosion/Irritation: Serious Eye Damage: Inhalation: Sensitization:first aid measures. N/ASensitization: Carcinogenicity:N/AMutagenicity: 	ents. Refer to Section 2 for potential health effects and Section 4 for
Skin Corrosion/Irritation:N/ASerious Eye Damage:N/AInhalation:N/ASensitization:Respiratory: No test data av respiratory sensitizer.Mutagenicity:Ames test (Salmonella typhi No test data available. Carbo humans), but IARC monograph to occur during the use of pr rubber, printing ink or paint. listed by IARC as Group 2B (Titanium Dioxide by Muhle et Morever, IARC monograph industries, with the possible Titanium Dioxide in this mixi no significant exposureReproductive Toxicity: STOT - Single Exposure:No test data available. None No test data available. None N/ASTOT - Multiple Exposure: STOT - Multiple Exposure:No test data available. Inhal carcinogenicity. (Reference mg/m3 and over lead to an a inflammatory processes and these effects were only obse accumulation in the lung tiss overload of the lung clearan specific to toner dust but is overload of the lung clearan specific to toner dust but is overload of the lung clearan specific to toner dust but is overload of the lung clearan specific to toner dust but is overload of the lung clearan specific to toner dust but is overload of the lung clearan specific to toner dust but is overload of the lung clearan specific to toner dust but is overload of the lung clearan specific to toner dust but is overload of the lung clearan specific to toner dust but is overload of the lung clearan specific to toner dust but is overload of the lung clearan specific to toner dust but is overload of the lung clearan specific to toner dust but is overload of the lung clearan specific to toner dust but is overload of the lung clearan specific to toner dust but is overload of the lung clearan specific to toner dust but is overload of the lung clearan specific to	· · · · · · · · · · · · · · · · · · ·
Serious Eye Damage: Inhalation:N/AInhalation:N/ASensitization:Respiratory: No test data av respiratory sensitizer.Mutagenicity:Ames test (Salmonella typhiCarcinogenicity:No test data available. Carbo humans), but IARC monograp for carcinogenicity of Carbor Data) and studies by Muhle- In addition, IARC monograph to occur during the use of pr ubber, printing ink or paint. listed by IARC as Group 2B (Titanium Dioxide by Muhle ed Moreover, IARC monograph industries, with the possible Titanium Dioxide in this mixino significant exposure to Ti No test data available. None STOT - Single Exposure:STOT - Multiple Exposure:N/ASTOT - Multiple Exposure:No test data available. Inhal carcinogenicity. (Reference mg/m3 and over lead to an a inflammatory processes and these effects were only obse accumulation in the lung tiss overload of the lung clearan specific to toner dust but is of dusts are inhaled. The lowes effect-level (NOEL) was 1 mg (Reference 2 - Test Data) To be less than 1 mg/m3. N/AIngestion:N/AHazard Class Information:N/AMixture on Market Data: Symptoms:N/ADelayed/Immediate Effects: 8-Hydroxydeoxyguanosine in Toxicology, Vol. 17 (13) p.74 Creutzenberg et al. "Lung cl chronic inhalation exposure and retention of toner, TiO2, inhalation exposure in Syrian inhalation study of toner in rupon chronic inhalation exposure "Pulmonary response to ton Syrian golden hamsters." In N/A	
Inhalation:N/ASensitization:N/ASensitization:Respiratory: No test data av respiratory sensitizer.Mutagenicity:Ames test (Salmonella typhi No test data available. Carbo humans), but IARC monograp for carcinogenicity of Carbo Data) and studies by Muhle - In addition, IARC monograph to occur during the use of pr rubber, printing ink or paint. listed by IARC as Group 2B (Titanium Dioxide by Muhle e Moreover, IARC monograph industries, with the possible Titanium Dioxide in this mixi no significant exposure to Ti No test data available. None N/AReproductive Toxicity: STOT - Single Exposure:No test data available. Inhal carcinogenicity. (Reference mg/m3 and over lead to an a inflammatory processes and these effects were only obse accumulation in the lung tiss overload of the lung clearan specific to toner dust but is of dusts are inhaled. The lowes effect-level (NOEL) was 1 mg (Reference 2 - Test Data) To be less than 1 mg/m3.Ingestion: Mixture on Market Data: Symptoms: Delayed/Immediate Effects: N/AN/AMetaged/Immediate Effects: R-Hydroxydeoxyguanosine in Toxicology, Vol. 17 (13) p.74 Creutzenberg et al. "Lung cl chronic inhalation exposure and retention of toner, TiO2, inhalation study of toner in upon chronic inhalation exposure and retention of toner, TiO2, inhalation study of toner in rupon chronic inhalation expo "Pulmonary response to tone "Pulmonary response to tone "Syrian golden hamsters." In N/A	
Sensitization:Respiratory: No test data av respiratory sensitizer.Mutagenicity:Ames test (Salmonella typhi No test data available. Carbo humans), but IARC monogra for carcinogenicity of Carbor Data) and studies by Muhle - In addition, IARC monograph to occur during the use of pr rubber, printing ink or paint. listed by IARC as Group 2B (Titanium Dioxide by Muhle e Moreover, IARC monograph industries, with the possible Titanium Dioxide in this mixi no significant exposure to Ti No test data available. None STOT - Single Exposure:Reproductive Toxicity:No test data available. Inhal carcinogenicity. (Reference mg/m3 and over lead to an a inflammatory processes and these effects were only obse accumulation in the lung tiss overload of the lung clearan specific to toner dust but is o dusts are inhaled. The lowes effect-level (NOEL) was 1 mg (Reference 2 - Test Data) To be less than 1 mg/m3. N/AIngestion:N/A NAMixture on Market Data: Symptoms:N/A N/ADelayed/Immediate Effects: 8-Hydroxydeoxyguanosine in Toxicology, Vol. 17 (13) p.74 Creutzenberg et al. "Lung cl chronic inhalation exposure and retention of toner, TiO2, inhalation exposure in Syrian inhalation study of toner in r upon chronic inhalation expo "Pulmonary response to tone "Pulmonary response to tone "Pul	
Mutagenicity:respiratory sensitizer.Mutagenicity:Ames test (Salmonella typhiCarcinogenicity:No test data available. Carbohumans), but IARC monographto occur during the use of prto bder, printing ink or paint.listed by IARC as Group 2B (Titanium Dioxide by Muhle enMoreover, IARC monographto occur during the use of prto occur during the use of prto bder, printing ink or paint.listed by IARC as Group 2B (Titanium Dioxide by Muhle enMoreover, IARC monographto occur during the use of prNo test data available. NoneSTOT - Single Exposure:N/ASTOT - Multiple Exposure:No test data available. Inhalcarcinogenicity. (Referencemg/m3 and over lead to an ainflammatory processes andthese effects were only obseaccumulation in the lung tissoverload of the lung clearanspecific to toner dust but is gdusts are inhaled. The loweseffect-level (NOEL) was 1 mg/m3.N/AMatzure on Market Data:N/ASymptoms:N/ADelayed/Immediate Effects:N/ARest Data on Mixture:N/AN/AReference 1) "Negative Effect8-Hydroxydeoxyguanosine in Toxicology, Vol. 17 (13) p.74Creutzenberg et al. "Lung cl chronic inhalation exposure and retention of toner, TiO2, inhalation study of toner in rupon chronic inhalation expoNot Meeting Classification:N	
Carcinogenicity:No test data available. Carbo humans), but IARC monograp for carcinogenicity of Carbo Data) and studies by Muhle In addition, IARC monograph to occur during the use of pr rubber, printing ink or paint. listed by IARC as Group 2B (Titanium Dioxide by Muhle et Moreover, IARC monograph industries, with the possible Titanium Dioxide in this mixi no significant exposure to Ti No test data available. None N/AReproductive Toxicity: STOT - Single Exposure:No test data available. None N/ASTOT - Multiple Exposure:No test data available. Inhal carcinogenicity. (Reference mg/m3 and over lead to an a inflammatory processes and these effects were only obse accumulation in the lung tiss overload of the lung clearan specific to toner dust but is a dusts are inhaled. The lowes effect-level (NOEL) was 1 mg (Reference 2 - Test Data) To be less than 1 mg/m3.Ingestion: Mixture on Market Data: Symptoms: Delayed/Immediate Effects: Test Data on Mixture:N/A (Reference 1) "Negative Effe 8-Hydroxydeoxyguanosine in Toxicology, Vol. 17 (13) p.74 Creutzenberg et al. "Lung cl chronic inhalation exposure and retention of toner, TiO2, inhalation exposure in Syriat inhalation exposure in Syriat inhal	ailable. None of the substances in this mixture is classified as a
Reproductive Toxicity: STOT - Single Exposure:no significant exposure to Ti No test data available. None N/ASTOT - Multiple Exposure:N/ASTOT - Multiple Exposure:No test data available. Inhal carcinogenicity. (Reference mg/m3 and over lead to an a inflammatory processes and these effects were only obse accumulation in the lung tiss overload of the lung clearan specific to toner dust but is or dusts are inhaled. The lowes effect-level (NOEL) was 1 mg (Reference 2 - Test Data) To be less than 1 mg/m3.Ingestion:N/AHazard Class Information:N/AMixture on Market Data:N/ASymptoms:N/ADelayed/Immediate Effects:N/ATest Data on Mixture:(Reference 1) "Negative Effe 8-Hydroxydeoxyguanosine in Toxicology, Vol. 17 (13) p.74 Creutzenberg et al. "Lung cl chronic inhalation exposure and retention of toner, TiO2, inhalation exposure and retention of toner, TiO2, inhalation exposure in Syrian inhalation exposure in Syrian golden hamsters." InfNot Meeting Classification:N/ANot Meeting Classification:N/A	murium, Escherichia coli) negative. (a similar product) on Black is listed by IARC as a group 2B (possibly carcinogenic to phs vol. 65 and 93 state that there is inadequate evidence in humans on Black. Inhalation tests of a toner for two years (Reference 1 - Test et al. (Reference 2 - Test Data) showed no significant carcinogenicity. In vol. 93 states that no significant exposure to Carbon Black is thought oducts in which Carbon Black is bound to other materials, such as Carbon Black in this mixture is in a bound form. Titanium Dioxide is possibly carcinogenic to humans); however, inhalation tests of t al. (Reference 2 - Test Data) showed no significant carcinogenicity. vol. 93 states that exposure levels are assumed to be lower in the user exception of workers who handle large quantities of Titanium Dioxide.
Reproductive Toxicity: STOT - Single Exposure:No test data available. None N/ASTOT - Multiple Exposure:No test data available. Inhal carcinogenicity. (Reference mg/m3 and over lead to an a inflammatory processes and these effects were only obse accumulation in the lung tiss overload of the lung clearan specific to toner dust but is of dusts are inhaled. The lowes effect-level (NOEL) was 1 mg (Reference 2 - Test Data) To be less than 1 mg/m3.Ingestion:N/AHazard Class Information: Mixture on Market Data: Symptoms:N/ADelayed/Immediate Effects: Test Data on Mixture:N/AN/AN/ANot Meeting Classification: Routes of Exposure:N/ANot Meeting Classification: Routes of Exposure:N/A	ture is within a small quantity and mostly in a bound form. Therefore,
STOT - Single Exposure:N/ASTOT - Multiple Exposure:N/ANo test data available. Inhal carcinogenicity. (Reference mg/m3 and over lead to an a inflammatory processes and these effects were only obse accumulation in the lung tiss overload of the lung clearan specific to toner dust but is of dusts are inhaled. The lowes effect-level (NOEL) was 1 mg (Reference 2 - Test Data) To be less than 1 mg/m3.Ingestion:N/AHazard Class Information:N/AMixture on Market Data:N/ASymptoms:N/ADelayed/Immediate Effects:N/ATest Data on Mixture:(Reference 1) "Negative Effe 8-Hydroxydeoxyguanosine in Toxicology, Vol. 17 (13) p.74 Creutzenberg et al. "Lung cl chronic inhalation exposure and retention of toner, TiO2, inhalation study of toner in r upon chronic inhalation expo Syrian golden hamsters." InlNot Meeting Classification:N/ANot Meeting Classification:N/A	tanium Dioxide is thought to occur during the use of the product.
STOT - Multiple Exposure:No test data available. Inhal carcinogenicity. (Reference mg/m3 and over lead to an a inflammatory processes and these effects were only obse accumulation in the lung tiss overload of the lung clearan specific to toner dust but is a dusts are inhaled. The lowes effect-level (NOEL) was 1 mg (Reference 2 - Test Data) To be less than 1 mg/m3.Ingestion:N/AHazard Class Information:N/ASymptoms:N/ADelayed/Immediate Effects:N/ATest Data on Mixture:N/AReference 1) "Negative Effe 8-Hydroxydeoxyguanosine in Toxicology, Vol. 17 (13) p.74 Creutzenberg et al. "Lung cl chronic inhalation exposure and retention of toner, TiO2, inhalation exposure in Syriar inhalation study of toner in r upon chronic inhalation expo Syrian golden hamsters." InfNot Meeting Classification:N/AN/AN/A	of the substances in this mixture is classified for reproductive toxicity.
 carcinogenicity. (Reference mg/m3 and over lead to an a inflammatory processes and these effects were only obse accumulation in the lung tiss overload of the lung clearan specific to toner dust but is of dusts are inhaled. The lowes effect-level (NOEL) was 1 mg (Reference 2 - Test Data) To be less than 1 mg/m3. Ingestion: N/A Hazard Class Information: N/A Symptoms: N/A Delayed/Immediate Effects: N/A Creutzenberg et al. "Lung cl chronic inhalation exposure and retention of toner, TiO2, inhalation exposure in Syriar inhalation study of toner in rupon chronic inhalation exposure in Syriar golden hamsters." Inf. Not Meeting Classification: N/A 	ation tasts of a tanger for two years showed no significant
mg/m3 and over lead to an a inflammatory processes and these effects were only obse accumulation in the lung tiss overload of the lung clearan specific to toner dust but is a dusts are inhaled. The lowes effect-level (NOEL) was 1 mg (Reference 2 - Test Data) To be less than 1 mg/m3.Ingestion:N/AHazard Class Information:N/ASymptoms:N/ADelayed/Immediate Effects:N/ATest Data on Mixture:(Reference 1) "Negative Effe 8-Hydroxydeoxyguanosine in Toxicology, Vol. 17 (13) p.74 Creutzenberg et al. "Lung cl chronic inhalation exposure and retention of toner, TiO2, inhalation study of toner in r upon chronic inhalation expo Syrian golden hamsters." InfNot Meeting Classification:N/A	ation tests of a toner for two years showed no significant 1 - Test Data) In rats, chronic exposure to toner concentrations 4
 overload of the lung clearan specific to toner dust but is of dusts are inhaled. The lowes effect-level (NOEL) was 1 mg (Reference 2 - Test Data) To be less than 1 mg/m3. Ingestion: N/A Hazard Class Information: N/A Mixture on Market Data: N/A Symptoms: N/A Delayed/Immediate Effects: N/A Test Data on Mixture: (Reference 1) "Negative Effe 8-Hydroxydeoxyguanosine in Toxicology, Vol. 17 (13) p.74 Creutzenberg et al. "Lung cl chronic inhalation exposure and retention of toner, TiO2, inhalation exposure in Syriat inhalation study of toner in r upon chronic inhalation expo "Pulmonary response to tom Syrian golden hamsters." Infinition Routes of Exposure: N/A 	accumulation of particles in the lung as well as to persistent slight to moderate fibrotic changes in the lungs of rats. In hamsters, erved at significantly higher concentrations (> 20 mg/m3). The particle sue of the experimental animals is attributed to a damage and
Hazard Class Information:N/AMixture on Market Data:N/ASymptoms:N/ADelayed/Immediate Effects:N/ATest Data on Mixture:(Reference 1) "Negative Effe 8-Hydroxydeoxyguanosine in Toxicology, Vol. 17 (13) p.74 Creutzenberg et al. "Lung cl chronic inhalation exposure and retention of toner, TiO2, inhalation exposure in Syriat inhalation study of toner in r upon chronic inhalation expo Syrian golden hamsters." InfiNot Meeting Classification: Routes of Exposure:N/A	ce mechanisms and is called "lung overloading". This is not an effect generally observed when high concentrations of other, slightly soluble t-observable-effect-level (LOEL) was 4 mg/m3 and the no-observable- g/m3 in rats. The NOEL was greater than 6 mg/m3 in hamsters. ner concentration under the normal use of this product is estimated to
Mixture on Market Data:N/ASymptoms:N/ADelayed/Immediate Effects:N/ATest Data on Mixture:(Reference 1) "Negative Effe 8-Hydroxydeoxyguanosine in Toxicology, Vol. 17 (13) p.74 Creutzenberg et al. "Lung cl chronic inhalation exposure and retention of toner, TiO2, inhalation exposure in Syriat inhalation study of toner in r upon chronic inhalation expo Syrian golden hamsters." InfiNot Meeting Classification: Routes of Exposure:N/A	
Symptoms:N/ADelayed/Immediate Effects:N/ATest Data on Mixture:(Reference 1) "Negative Effects:Bellydroxydeoxyguanosine in Toxicology, Vol. 17 (13) p.74Creutzenberg et al. "Lung cl chronic inhalation exposure and retention of toner, TiO2, inhalation exposure in Syriat inhalation study of toner in r upon chronic inhalation expo Syrian golden hamsters." InfiNot Meeting Classification: Routes of Exposure:N/A	
Delayed/Immediate Effects:N/ATest Data on Mixture:(Reference 1) "Negative Effects:Belayed/Immediate Optimization8-Hydroxydeoxyguanosine in Toxicology, Vol. 17 (13) p.74 Creutzenberg et al. "Lung cl chronic inhalation exposure and retention of toner, TiO2, inhalation exposure in Syriat inhalation study of toner in r upon chronic inhalation expo syrian golden hamsters." InfiNot Meeting Classification: Routes of Exposure:N/A	
Test Data on Mixture:(Reference 1) "Negative Effe 8-Hydroxydeoxyguanosine in Toxicology, Vol. 17 (13) p.74 Creutzenberg et al. "Lung cl chronic inhalation exposure and retention of toner, TiO2, inhalation exposure in Syriat inhalation study of toner in r upon chronic inhalation expo syrian golden hamsters." Inf Not Meeting Classification:Not Meeting Classification: Routes of Exposure:N/A	
8-Hydroxydeoxyguanosine in Toxicology, Vol. 17 (13) p.74 Creutzenberg et al. "Lung cl chronic inhalation exposure and retention of toner, TiO2, inhalation exposure in Syriat inhalation study of toner in r upon chronic inhalation expo "Pulmonary response to tono Syrian golden hamsters." Inf Not Meeting Classification: N/A Routes of Exposure: N/A	
upon chronic inhalation expo "Pulmonary response to tone Syrian golden hamsters." Inf Not Meeting Classification: N/A Routes of Exposure: N/A	ect of Long-term Inhalation of Toner on Formation of DNA in the Lungs of Rats in Vivo", Yasuo Morimoto, et. Al., Inhalation 19-753 (2005). (Reference 2) Studies by Muhle, Bellmann, earance and retention of toner, utilizing a tracer technique during in rats." Fundam. Appl. Toxicol 17 (1991) p.300-313. "Lung clearance and crystalline Silica, utilizing a tracer technique during chronic n golden hamsters." Inhal. Toxicol. 10 (1998) p.731-751. "Subchronic
Absence of Specific Data: N/A	ats." Inhal. Toxicol. 2 (1990) p.341-360. "Pulmonary response to toner osure in rats." Fundam. Appl. Toxicol. 17 (1991) p.280-299. er, TiO2 and crystalline Silica upon chronic inhalation exposure in nal. Toxicol. 10 (1998) p.699-729.
Mixture vs Substance Data: N/A	



12. ECOLOGICAL INFORMATION

12.1 Eco toxicity:	According to our test results of this or similar mixture, and the information provided by the suppliers about the substances contained in this mixture, this mixture is not expected to be harmful to ecology. Acute toxicity to aquatic organisms (a similar product): 72-hour ErC50 (for algae, Pseudokirchneriella subcapitata, OECD 201) > 1,000 mg/L, NOEC 125 mg/L; 48-hour EC50 (for Daphnia magna, OECD 202) > 1,000 mg/L, NOEC 1,000 mg/L; 96-hour LC50 (for fish, Zebrafish Danio rerio, OECD 203) > 1,000 mg/L, NOEC 1,000 mg/L.	
12.2 Degradability:	N/A	
12.3 Bioaccumulation Potential:	N/A	
12.4 Mobility in Soil:	N/A	
12.5 PBT & vPvB Assessment:	N/A	
12.6 Other Adverse Effects:	None known.	
13. DISPOSAL CONSIDERATIONS		

Disposal Information:

Dispose of product in accordance with local authority regulations. Empty container retains product residue.

Physical/Chemical Properties that affect Treatment:

Symbol: This product is not classified as dangerous

Risk Phrases: This product is not classified according to the federal, state and local environmental regulations.

Waste Treatment Information:

If toner, do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations.

Personal Protection Required:

N/A

14.	14. TRANSPORT INFORMATION				
14.1	ID Number:	None. Not a regulated material under the United States DOT, IMDG, ADR, RID, or ICAO/IATA.			
14.2	Shipping Name:	None. Not a regulated material under the United States DOT, IMDG, ADR, RID, or ICAO/IATA.			
14.3	Hazard Class:	None. Not a regulated material under the United States DOT, IMDG, ADR, RID, or ICAO/IATA.			
14.4	Packing Group:	N/A			
14.5	Environmental Hazards:	Not a marine pollutant according to the IMDG Code. Not environmentally hazardous according to the UN Model Regulations, ADR, RID or ADN.			
14.6	User Precautions:	Do not open or break a container during transportation unless absolutely needed.			
14.7	Bulk Transport:	Ν/Α			



15. REGULATORY INFORMATION

15.1 **Regulatory Information:** TSCA: All the substances in this mixture are listed or exempted in accordance with TSCA.

EPA Regulatory Information: N/A

CERCLA Reportable Quantity: Not applicable to this mixture.

15.2 Superfund Information:

Hazard Categories:

Immediate: N/A

Delayed: N/A

Fire: N/A

Pressure: N/A

Reactivity: N/A

Section 302 - Extremely Hazardous: Not applicable to this mixture.

Section 311 - Hazardous: Immediate health hazard: No (All the ingredients of this product are bound within the mixture.) Chronic health hazard: No (All the ingredients of this product are bound within the mixture.) Sudden release of pressure hazard: No. Reactive hazard: No.

15.3	State Regulations:	California Proposition 65 (Safe Drinking Water and Toxic Enforcement Act of 1986): This product is in compliance with the regulation as all ingredients are bound within the mixture.
15.4	Other Regulatory Information	SARA Title III (EPCRA) Section 313 (40 CFR 372): Organochromium Complex as a Chromium Compound (N090). This mixture complies with the requirements of the RoHS Directive 2011/65/EU and its amendment directives. Please refer to any other Federal/state/local measures that may be relevant.
16.	OTHER INFORMATION	
Gene	gi	nis information is based on our current knowledge. It should not therefore be construed as uaranteeing specific properties of the products as described or their suitability for a particular oplication

Creation Date of this SDS: 07/29/2020



Key to Abbreviations and Acronyms used in this sheet:

ACGIH = American Conference of Governmental Industrial	NIOSH = National Institute for Occupational Safety and Health		
Hygienists			
CERCLA = Comprehensive Environmental Response CompensationOSHA = Occupational Health and Safety Administration			
and Liability Act			
CLP = Classification, Labeling, and Packaging	PEL = Permissible Exposure Limit		
DSD = Dangerous Substances Directive	SCBA = Self Contained Breathing Apparatus		
EPA = Environmental Protection Agency	STOT = Specific Target Organ Toxicity		
GHS = Globally Harmonized System	TLV = Threshold Limit Value		
N/A = Not Applicable	UK = United Kingdom		
NFPA = National Fire Protection Association	UN = United Nations		

Ref:

DISCLAIMER

All trademarks and models referenced are property of their respective holders and are used for identification purposes only.

These products are not sponsored by, affiliated with, manufactured by or distributed by the named manufacturers.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.