

## 1. IDENTIFICATION OF THE SUBSTANCE PREPARATION AND COMPANY UNDERTAKING

### 1.1 PRODUCT IDENTIFIER

Product name: Cyan Wide Format Inkjet Cartridge for Mutoh VJ-MSINK3-CY440  
Part number: MUVJMSINK3CY440WF

### 1.2 IDENTIFIED USES AND USES ADVISED AGAINST

For use in: Inkjet Printers

### 1.3 SUPPLIER DETAILS

Supplier: Clover Imaging Group  
4200 Columbus Street  
Ottawa, IL 61350  
United States  
Phone number: 815-431-8100  
Fax: 815-461-8583  
Contact Hours: 08:00AM-05:00PM CST

### 1.4 EMERGENCY TELEPHONE NUMBERS

Supplier: 815-431-8100

\* This document provides safety-related information about ink/toner, in various forms, for use in copiers/printers etc.

## 2. HAZARDS IDENTIFICATION

### 2.1 INFORMATION and CLASSIFICATION

Overview: GHS classification of the mixture: Combustible Liquid Cat.4: H227. Acute Tox.4: H302 Harmful if swallowed. Skin Irrit.2: H315 Causes skin irritation. Eye Damage Cat.1: H318 Causes serious eye damage. Eye Irrit.Cat.2: H319 Causes serious eye irritation. Specific target organ toxicity, Cat.3: H336 May cause drowsiness or dizziness. Hazard Statements: H227: Combustible liquid. H302: Harmful if swallowed. H315: Causes skin irritation. H318: Causes serious eye damage. H319: Causes serious eye irritation. H336: May cause drowsiness or dizziness. Precautionary Statements: PREVENTION: P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P261: Avoid breathing dust/fumes/gas/mist/vapors/spray. P264: Wash hands thoroughly after handling. P270: Do not eat, drink or smoke when using this product. P271: Use only outdoors or in a well ventilated area. P273: Avoid release to the environment. P280: Wear protective gloves/protective clothing/eye protection/face protection. RESPONSE: P370+P378: In case of fire: Use extinguishers. P301+P312+P330: IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth. P332+P313+P362: IF SKIN IRRITATION OCCURS: Get medical advise/attention. Wash contaminated clothing before use. P305+P351+P338+P337: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. P302+P352: IF ON SKIN: Wash with plenty of soap and water. P304+P340+P312: IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell. STORAGE: P403+P233+P405: Store in a well-ventilated place. Keep container tightly closed and Cool. DISPOSAL: P501: Dispose of contents/container in accordance with local/regional/national/international regulations.

### 2.2 LABEL ELEMENTS

Applicable Pictograms:



Danger Indications: Causes serious eye irritation. May cause damage to organs through prolonged or repeated exposure if swallowed (Stomach).

Risk Phrases: N/A

Safety Phrases: Signal word: Danger

### 2.3 OTHER HAZARDS

PBT or vPvB: This product contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

Product: Cyan Wide Format Inkjet  
Cartridge for Mutoh VJ-MSINK3-CY440

Revision date: 06/02/2020

Page: 1/9

This product contains no substance considered to be persistent, bioaccumulating nor toxic (PBT).

### 3. COMPOSITION / INFORMATION ON INGREDIENTS

| Ingredients          | CAS number   | Weight % | OSHA PEL | ACGIH TLV | Other   |
|----------------------|--------------|----------|----------|-----------|---|
| Pigment              | Trade Secret | 1-5      |          |           |   |
| 2-Ethoxy Ethyl Ether | 112-36-7     | 30-60    |          |           | EC No. 203-936-7 GHS (Rev 5): Skin Irrit.2; H315, H227                              |
| Propylene Carbonate  | 108-32-7     | 5-15     |          |           | EC No. 203-572-1 GHS (Rev 5): Eye Irritant. 2A; H319                                |
| Polymer              | Trade Secret | 1-10     |          |           |   |
| Lactone              | 96-48-0      | 5-15     |          |           | EC No. 202-509-5 GHS (Rev 5): Accute Tox.4; Eye Dam. 1; STOT SE 3; H302, H318, H336 |

The Full Text for all R-Phrases are Displayed in Section 16

#### COMPOSITION COMMENTS

The Data Shown is in accordance with the latest Directives.

This section provides composition information for the specified substance/mixture.

### 4. FIRST-AID MEASURES

#### 4.1 FIRST AID MEASURES

##### 4.1.1 FIRST AID INSTRUCTIONS BY RELEVANT ROUTES OF EXPOSURE

|               |  |
|---------------|--|
| Inhalation:   | If inhaled move to fresh air. Respiratory irritation may occur, if persists seek medical attention. If not breathing, give artificial respiration preferably mouth to mouth.   |
| Eye contact:  | Do not rub eyes. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If irritation persists get medical attention.  |
| Skin contact: | In case of contact, immediately flush skin with soap and plenty of water while removing contaminated clothes and shoes. Wash clothing before reuse. Get medical attention if symptoms appear.  |
| Ingestion:    | Rinse mouth with water. Give two glasses of water and monitor closely. Call a poison control center, emergency room, or physician before trying to induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention if symptoms appear. |

##### 4.1.2 ADDITIONAL FIRST AID INFORMATION

|                                       |                        |
|---------------------------------------|------------------------|
| Additional first aid information:     | N/A                    |
| Immediate Medical Attention Required: | Treat symptomatically. |

#### 4.2 SYMPTOMS AND EFFECTS

|                                 |   |
|---------------------------------|---|
| Acute Symptoms from Exposure:   | No known significant effects or critical hazards. |
| Delayed Symptoms from Exposure: | N/A   |

#### 4.3 IMMEDIATE SPECIAL TREATMENT OR EQUIPMENT REQUIRED

Treat symptomatically.

### 5. FIRE-FIGHTING MEASURES

#### 5.1 EXTINGUISHING MEDIA

Recommended Extinguishing Media: Alcohol-resistant foam, dry chemical, carbon dioxide(CO2), water spray.  
Extinguishing Media Not to be Used: N/A

#### 5.2 SPECIAL HAZARD

Unusual Fire/Explosion Hazards: N/A  
Extinguishing Media Not to be Used: N/A

#### 5.3 ADVICE FOR FIRE FIGHTERS

Avoid inhalation of smoke. Wear protective clothing and wear self-contained breathing apparatus

### 6. ACCIDENTAL RELEASE MEASURES

#### 6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

##### 6.1.1 PRECAUTIONS FOR NON-EMERGENCY PERSONNEL

Use personal protective equipment. Gloves and eye/face protection.

##### 6.1.2 ADDITIONAL FIRST AID INFORMATION

N/A

##### 6.1.3 PERSONAL PROTECTION

Wear personal protective equipment as described in Section 8.

#### 6.2 ENVIRONMENTAL PRECAUTIONS

Regulatory Information: Keep product out of sewers and watercourses.

#### 6.3 METHODS AND MATERIAL FOR CONTAINMENT AND CLEANUP

Spill or Leak Cleanup Procedures: Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations. Keep in suitable, closed containers for disposal.

## 7. HANDLING AND STORAGE

### 7.1 PRECAUTIONS FOR SAFE HANDLING

Recommendations for Handling: No special precautions when used as intended. Keep containers closed. If toner, avoid creating dust. Keep away from ignition sources.

Advice on General Hygiene: Never eat, drink or smoke in work areas. Practice good personal hygiene after using this material, especially before eating, drinking, smoking, using the restroom, or applying cosmetics.

### 7.2 CONDITIONS FOR SAFE STORAGE

Avoid high temperatures, >100°F/32°C

### 7.3 SPECIFIC END USES

Printing devices

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 CONTROL PARAMETERS

The best protection is to enclose operations and/or provide local exhaust ventilation at the site of chemical release in order to maintain airborne concentrations of the product below OSHA PELs (See Section 3). Local exhaust ventilation is preferred because it prevents contaminant dispersion into the work area by controlling it at its source.

### 8.2 EXPOSURE CONTROLS

#### Respiratory protection:

IMPROPER USE OF RESPIRATORS IS DANGEROUS. Seek professional advice prior to respirator selection and use. Follow OSHA respirator regulations (29 CFR 1910.134 and 1910.137) and, if necessary, wear a NIOSH approved respirator. Select respirator based on its suitability to provide adequate worker protection for given work conditions, levels of airborne contamination, and sufficient levels of oxygen.

#### Eye/Face Protection:

Contact lenses are not eye protective devices. Appropriate eye protection must be worn instead of, or in conjunction with contact lenses.

#### Hand/Skin Protection:

For emergency or non-routine operations (cleaning spills, reactor vessels, or storage tanks), wear an SCBA. WARNING! Air purifying respirators do not protect worker in oxygen deficient atmospheres.

#### Additional Protection:

N/A

#### Protective Clothing and Equipment:

Wear chemically protective gloves, boots, aprons, and gauntlets to prevent prolonged or repeated skin contact. Wear splash-proof chemical goggles and face shield when working with liquid, unless full face piece respiratory protection is worn.

#### Safety Stations:

Make emergency eyewash stations, safety/quick-drench showers, and washing facilities available in work area.

#### Contaminated Equipment:

Separate contaminated work clothes from street clothes. Launder before reuse. Remove material from your shoes and clean personal protective equipment. Never take home contaminated clothing.

#### Comments:

Never eat, drink or smoke in work areas. Practice good personal hygiene after using this material, especially before eating, drinking, smoking, using the restroom, or applying cosmetics.

**9. PHYSICAL AND CHEMICAL PROPERTIES****9.1 DETAIL INFORMATION**

Physical state: APPEARANCE: Cyan liquid.  
Color: Cyan  
Odor: Slight  
Odor threshold: N/A

Boiling point: Approx 176°C or higher  
Melting point: No data available.  
Flash point: Approx 81°C  
Explosion limits: No data available.  
Relative density: No data available.  
Auto-ignition temperature: Not below 220°C

**9.2 OTHER INFORMATION**

SPECIFIC GRAVITY .975 (25°C)

**10. CHEMICAL STABILITY AND REACTIVITY****10.1 Reactivity:**

**Reactivity Hazards:** None

**Data on Mixture Substances:** None

**10.2 Chemical Stability:** The product is stable. Under normal conditions of storage and use, hazardous polymerization will not occur.

**10.3 Hazardous Polymerization:** Stable under conditions of normal use.

**10.4 Conditions to Avoid:** Keep away from heat, flame, sparks and other ignition sources.

**10.5 Incompatible Materials:** Strong oxidizing materials

**10.6 Hazardous Decomposition:** Will not occur.

### 11. INFORMATION ON TOXICOLOGICAL EFFECT

|                                    |   |
|------------------------------------|---|
| <b>Mixtures:</b>                   | Water based inkjet ink (Mixture)  |
| <b>Acute Toxicity:</b>             | [Diethylene Glycol Diethyl Ether] LD50 Oral, rat: 4,970 mg/kg. LD50 Skin, rabbit: 6,700 uL/kg. Draize test, eye rabbit: 50 mg moderate. |
| <b>Skin Corrosion/Irritation:</b>  | Repeated or prolonged contact may cause irritation.   |
| <b>Serious Eye Damage:</b>         | May cause severe eye irritation.  |
| <b>Inhalation:</b>                 | Gamma Butrolactone: May cause drowsiness or dizziness.  |
| <b>Sensitization:</b>              | No information available.   |
| <b>Mutagenicity:</b>               | No information available.   |
| <b>Carcinogenicity:</b>            | No information available.   |
| <b>Reproductive Toxicity:</b>      | No information available.   |
| <b>STOT - Single Exposure:</b>     | N/A   |
| <b>STOT - Multiple Exposure:</b>   | N/A   |
| <b>Ingestion:</b>                  | Harmful if swallowed. May cause gastrointestinal irritation.  |
| <b>Hazard Class Information:</b>   | N/A   |
| <b>Mixture on Market Data:</b>     | N/A   |
| <b>Symptoms:</b>                   | N/A   |
| <b>Delayed/Immediate Effects:</b>  | N/A   |
| <b>Test Data on Mixture:</b>       | N/A   |
| <b>Not Meeting Classification:</b> | N/A   |
| <b>Routes of Exposure:</b>         | Skin absorption, breathing, ingestion, eye contact.   |
| <b>Interactive Effects:</b>        | N/A   |
| <b>Absence of Specific Data:</b>   | N/A   |
| <b>Mixture vs Substance Data:</b>  | N/A   |

### 12. ECOLOGICAL INFORMATION

|  |  |
|--|--|
| 12.1 <b>Eco toxicity:</b>              | No data available.                         |
| 12.2 <b>Degradability:</b>             | No further relevant information available. |
| 12.3 <b>Bioaccumulation Potential:</b> | No further relevant information available. |
| 12.4 <b>Mobility in Soil:</b>          | No further relevant information available. |
| 12.5 <b>PBT &amp; vPvB Assessment:</b> | PBT: Not applicable. vPvB: Not applicable. |
| 12.6 <b>Other Adverse Effects:</b>     | No further relevant information available. |

### 13. DISPOSAL CONSIDERATIONS

#### Disposal Information:

Dispose of product in accordance with local authority regulations.  
Empty container retains product residue.

#### Physical/Chemical Properties that affect Treatment:

Symbol: This product is not classified as dangerous  
Risk Phrases: This product is not classified according to the federal, state and local environmental regulations.

#### Waste Treatment Information:

If toner, do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations.

#### Personal Protection Required:

N/A

### 14. TRANSPORT INFORMATION

- 14.1 **ID Number:** N/A
- 14.2 **Shipping Name:** N/A
- 14.3 **Hazard Class:** N/A
- 14.4 **Packing Group:** N/A
- 14.5 **Environmental Hazards:** N/A
- 14.6 **User Precautions:** Transport and storage of the product in accordance with general precautions and instructions mentioned in this SDS.
- 14.7 **Bulk Transport:** N/A

### 15. REGULATORY INFORMATION

- 15.1 **Regulatory Information:** N/A
- EPA Regulatory Information:** N/A
- CERCLA Reportable Quantity:** N/A
- 15.2 **Superfund Information:**
- Hazard Categories:**
- Immediate:** N/A
- Delayed:** N/A
- Fire:** NFPA Rating: Health = 2 Fire = 2 Reactivity = 0
- Pressure:** N/A
- Reactivity:** N/A
- Section 302 - Extremely Hazardous:** N/A
- Section 311 - Hazardous:** N/A
- 15.3 **State Regulations:** CALIFORNIA PROPOSITION 65 INFORMATION: Not regulated
- 15.4 **Other Regulatory Information:** US Information: Toxic Substances Control Act (TSCA): All ingredients are listed on the TSCA Inventory. Product contains Diethylene glycol diethyl ether that is subject to TSCA Section 5 SNUR and to TSCA Section 12(b) export notification requirements. SARA TITLE III: Section 313: Diethylene glycol diethyl ether (Chemical Category N230). EU Information: Chemical Safety Assessment according to (EC) 1907/2006: This product has not carried out any Chemical Safety Assessment yet. Australia Information: Hazardous statement: Classified as hazardous according to NOHSC criteria.

### 16. OTHER INFORMATION

**General Comments:** This information is based on our current knowledge. It should not therefore be construed as guaranteeing specific properties of the products as described or their suitability for a particular application

**Creation Date of this SDS:** 01/04/2021



**Key to Abbreviations and Acronyms used in this sheet:**

|  |   |
|--|---|
| ACGIH = American Conference of Governmental Industrial Hygienists            | NIOSH = National Institute for Occupational Safety and Health |
| CERCLA = Comprehensive Environmental Response Compensation and Liability Act | OSHA = Occupational Health and Safety Administration          |
| CLP = Classification, Labeling, and Packaging                                | PEL = Permissible Exposure Limit                              |
| DSD = Dangerous Substances Directive   | SCBA = Self Contained Breathing Apparatus                     |
| EPA = Environmental Protection Agency  | STOT = Specific Target Organ Toxicity                         |
| GHS = Globally Harmonized System   | TLV = Threshold Limit Value                                   |
| N/A = Not Applicable   | UK = United Kingdom   |
| NFPA = National Fire Protection Association                                  | UN = United Nations   |
|  |   |
|  |   |
|  |   |

**Ref:**

**DISCLAIMER**

All trademarks and models referenced are property of their respective holders and are used for identification purposes only. These products are not sponsored by, affiliated with, manufactured by or distributed by the named manufacturers. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.